



SIGMA-ALDRICH

Material Safety Data Sheet

Date Printed: 07/09/2005
Date Updated: 06/24/2004
Version 1.20

Section 1 - Product and Company Information

Product Name Diethylzinc, 15 wt. % (1.1M) solution in toluene
Product Number 220809
Brand Aldrich Chemical
Company Sigma-Aldrich
Street Address 3050 Spruce Street
City, State, Zip, Country SAINT LOUIS, MO 63103 US
Technical Phone: 314 771 5765
Fax: 800 325 5052
Emergency Phone: 414 273 3850 Ext. 5996

Section 2 - Composition/Information on Ingredient

<u>Substance Name</u>	<u>CAS #</u>	<u>SARA 313</u>	<u>EC no</u>	<u>Annex I Index Number</u>
DIETHYLZINC, 15 WT. % (1.1M) SOLUTION IN TOLUENE	None	Yes		
<u>Ingredient Name</u>	<u>CAS #</u>	<u>Percent</u>	<u>SARA 313</u>	
DIETHYLZINC	557-20-0	>= 10.000 % <= 15.000 %	No	
TOLUENE	108-88-3	>= 85.000 % <= 90.000 %	Yes	
Formula Synonyms	C ₄ H ₁₀ Zn			

Section 3 - Hazards Identification

Emergency Overview

Flammable (USA) Highly Flammable (EU). Corrosive. Dangerous for the environment. Reacts violently with water, liberating extremely flammable gases. Harmful by inhalation and if swallowed. Causes burns. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Target organ(s): Liver. Kidneys. Calif. Prop. 65 reproductive hazard.

HMIS Rating
Health: 3 Flammability: 3 Reactivity: 3 Special Hazard(s) : Water reactive

NFPA Rating
Health: 3 Flammability: 3 Reactivity: 3 Special Hazard(s) : Water reactive

*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

Oral Exposure

If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately. Do not induce vomiting.

Inhalation Exposure

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

Dermal Exposure

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

Eye Exposure

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Section 5 - Fire Fighting Measures

Flammable Hazards: Yes

Explosion Hazards

Vapor may travel considerable distance to source of ignition and flash back. Container explosion may occur under fire conditions.

Conditions of Flammability

Reacts with water to liberate flammable and/or explosive gas.

Flash Point: 45 °F

7 °C

Autoignition Temp: N/A

Flammability: Yes

Extinguishing Media

Suitable

Dry chemical powder.

Unsuitable

Do not use water.

Firefighting

Protective Equipment

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Specific Hazard(s)

Flammable liquid. Emits toxic fumes under fire conditions. Water reactive material.

Section 6 - Accidental Release Measures

Procedure to be Followed in Case of Leak or Spill

Evacuate area. Shut off all sources of ignition. Use nonsparking tools.

Procedure(s) of Personal Precaution(s)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

Methods for Cleaning Up

Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

Section 7 - Handling and Storage

Handling

User Exposure

Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

Aldrich Chemical - 220809

Page 2

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Storage**Suitable**

Keep tightly closed. Keep away from heat, sparks, and open flame. Handle and store under nitrogen.

Incompatible Materials

Do not allow contact with water.

Special Requirements

Air sensitive. Reacts violently with water.

Section 8 - Exposure Controls / PPE**Engineering Controls**

Safety shower and eye bath. Use nonsparking tools. Use only in a chemical fume hood.

Personal Protective Equipment**Respiratory**

Government approved respirator.

Hand

Compatible chemical-resistant gloves.

Eye

Chemical safety goggles.

Other

Faceshield (8-inch minimum).

General Hygiene Measures

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

Exposure Limits

Country	Type	Value
Poland	NDS	100 MG/M3
Remarks: TOLUENE		
Poland	NDSch	350 MG/M3
Remarks: TOLUENE		
Poland	NDSP	
Remarks: TOLUENE		

Section 9 - Physical/Chemical Properties**Appearance**

Physical State	Color
Clear liquid	Light yellow-green

Molecular Weight: 123.49 AMU

pH	N/A
BP/BP Range	N/A
MP/MP Range	N/A
Freezing Point	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Saturated Vapor Conc.	N/A
SG/Density	0.915 g/cm3
Bulk Density	N/A
Odor Threshold	N/A
Volatile%	N/A
VOC Content	N/A
Water Content	N/A
Solvent Content	N/A
Evaporation Rate	N/A
Viscosity	N/A
Partition Coefficient	N/A

Aldrich Chemical - 220809

Page 3

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Decomposition Temp.	N/A
Flash Point °F	45 °F
Flash Point °C	7 °C
Explosion Limits	N/A

Method: closed cup
Method: closed cup

Flammability	N/A
Autoignition Temp	N/A
Solubility	N/A

N/A = not available

Section 10 - Stability and Reactivity**Stability**

Stable.

Stable.

Conditions to Avoid

Air sensitive.

Materials to Avoid

Oxygen, Oxidizing agents, Acids, Bases, Alcohols, Reacts violently with water.

Hazardous Decomposition Products**Hazardous Decomposition Products**

Nature of decomposition products not known.

Hazardous Polymerization**Hazardous Polymerization**

Will not occur.

Section 11 - Toxicological Information**Route of Exposure****Skin Contact**

Causes burns.

Skin Absorption

May be harmful if absorbed through the skin.

Eye Contact

Causes burns.

Inhalation

Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Harmful if inhaled.

Ingestion

May be harmful if swallowed.

Target Organ(s) or System(s)

Brain. Liver. Kidneys. Bladder.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Inhalation studies on toluene have demonstrated the development of inflammatory and ulcerous lesions of the penis, prepuce, and scrotum in animals.

Conditions Aggravated by Exposure

May cause nervous system disturbances.

RTECS Number: N/A

Chronic Exposure - Carcinogen

Result: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Aldrich Chemical - 220809

Page 4

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

Appropriate Method of Disposal of Substance or Preparation

Contact a licensed professional waste disposal service to dispose of this material.
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.
Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Organometallic compound [or] Compound solution [or] Compound dispersion, water-reactive, flammable, n.o.s.
UN#: 3207
Class: 4.3
Packing Group: Packing Group I
Hazard Label: Dangerous when wet,
Hazard Label: Flammable liquid
PIH: Not PIH

IATA

Proper Shipping Name: Organometallic compound solution, water-reactive, flammable, n.o.s.
IATA UN Number: 3207
Hazard Class: 4.3
Packing Group: I
Not Allowed - Aircraft: Cargo aircraft only. Not permitted on passenger aircraft.

Section 15 - Regulatory Information

EU Additional Classification

Symbol of Danger: F C N
Indication of Danger

Highly Flammable, Corrosive, Dangerous for the environment.

Risk Statements R: 11 14/15 20 34 51/53

Highly flammable. Reacts violently with water, liberating extremely flammable gases. Harmful by inhalation. Causes burns. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Statements S: 16 26 33 36/37/39 43 45 60 61

Keep away from sources of ignition - no smoking. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Take precautionary measures against static discharges. Wear suitable protective clothing, gloves, and eye/face protection. In case of fire, use dry powder. Never use water. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/safety data sheets.

US Classification and Label Text

Indication of Danger

Flammable (USA) Highly Flammable (EU), Corrosive, Dangerous for the environment.

Risk Statements

Reacts violently with water, liberating extremely flammable gases. Harmful by inhalation and if swallowed. Causes burns. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Statements

Keep away from sources of ignition - no smoking. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Take precautionary measures against static discharges. Wear suitable protective clothing, gloves, and eye/face protection. In case of fire, never use water. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/safety data sheets.

US Statements

Target organ(s): Liver, Kidneys. Calif. Prop. 65 reproductive hazard.

United States Regulatory Information

SARA Listed: Yes

Notes: This product is or contains a component that is subject to SARA313 reporting requirements.

United States - State Regulatory Information

California Prop - 65

This product is or contains chemical(s) known to the state of California to cause developmental toxicity.

Canada Regulatory Information

WHMIS Classification

This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes

NDSL: No

Section 16 - Other Information

Disclaimer

For R&D use only. Not for drug, household or other uses.

Warranty

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

