

3

SP

World Headquarters
Ashland Specialty Chemical Co.
Drew Division
One Drew Plaza, . . .
Boonton, NJ USA 07005
306

Page 1
Date Printed 9/22/04
MSDS No: M00025

0326856-001
04/17/06

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Acid Reagent Powder Pillows
Catalog Number: 9931-23-0

Ashland Specialty Chemical Co.
Drew Division
One Drew Plaza, . . .
Boonton, NJ USA 07005

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515) 232-2533 8am - 4pm CST

MSDS Number: M00025
Chemical Name: Not Applicable
CAS No.: Not Applicable
Chemical Formula: Not Applicable
Chemical Family: Not applicable
Hazard: Causes eye burns.
Date of MSDS Preparation:
Day: 22
Month: 09
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Sulfamic Acid

CAS No.: 5329-14-6
TSCA CAS Number: 5329-14-6
Percent Range: 80.0 - 90.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 3160 mg/kg.
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: Causes eye burns.

Sodium Chloride

CAS No.: 7647-14-5
TSCA CAS Number: 7647-14-5
Percent Range: 10.0 - 20.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 3000 mg/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: Causes moderate eye irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: White crystals

Odor: None

CAUSES EYE BURNS MAY CAUSE RESPIRATORY TRACT IRRITATION

HMIS:

Health: 2

Flammability: 1

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 1

Reactivity: 1

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes eye burns.

Skin Contact: No effects are anticipated

Skin Absorption: No effects anticipated

Target Organs: Not applicable

Ingestion: May cause: gastrointestinal irritation irritation of the mouth and esophagus

Target Organs: None reported

Inhalation: Causes: irritation of nose and throat

Target Organs: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions

Chronic Effects: None reported

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Hazardous Combustion Products: Toxic fumes of: ammonia nitrogen oxides. sulfur oxides. sodium monoxide

Fire / Explosion Hazards: May react violently with: chlorine / chlorine compounds metal nitrates metal nitrites nitric acid

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Water. Dry chemical.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.

Clean-up Technique: Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: 154

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Store away from: acids Protect from: heat moisture

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Do not breathe: dust Wash thoroughly after handling. Protect from: heat moisture

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: White crystals

Physical State: Solid

Molecular Weight: Not applicable

Odor: None

pH: of a 5% solution = 0.8

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Boiling Point: Not applicable

Melting Point: ~205 °C ~401 °F

Specific Gravity (water = 1): 2.00

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Heating to decomposition. Excess moisture

Reactivity / Incompatibility: Incompatible with: bromine trifluoride chlorine fuming nitric acid lithium trifluoride

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: nitrogen oxides sulfur oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: Testing results: Erythema at 1Hr. = 1; at 4Hr = 1.17. No edema reported.

Mutation Data: None reported

Reproductive Effects Data: None reported

Ingredient Toxicological Data: Sodium Chloride: Oral rat LD50 = 3000 mg/kg; Sulfamic Acid: Oral rat LD50 3160 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: None

Special Instructions (Disposal): Work in an approved fume hood. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Sulphamic Acid Mixture

--

DOT Hazard Class: 8

DOT Subsidiary Risk: NA

DOT ID Number: UN2967

DOT Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Sulphamic Acid Mixture

--

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO ID Number: UN2967

ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: Sulphamic Acid Mixture

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: UN2967

I.M.O. Packing Group: III

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: Not applicable

Identification of Prop. 65 Ingredient(s): Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Silica determination

References: Vendor Information. Patty, Frank A. Industrial Hygiene and Toxicology, 3rd Revised Edition. Volume 2. New York: A Wiley-Interscience Publication, 1981. NIOSH Registry of Toxic Effects of Chemical Substances, 1985-86. Cincinnati: U.S. Department of Health and Human Services, April, 1987. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Outside Testing. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Technical Judgment. In-house information. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

*World Headquarters
Ashland Specialty Chemical Co.
Drew Division
One Drew Plaza, . . .
Boonton, NJ USA 07005*

*Page 6
Date Printed 9/22/04
MSDS No: M00025*

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2004

Manufactured by Hach Company for Ashland Specialty Chemical Co.