Material Safety Data Sheet

Version 4.2
Revision Date 01/19/2012
Print Date 06/06/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Allyl chloride
Product Number	:	A30702
Brand	:	Aldrich
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone	:	+1 800-325-5832
Fax	:	+1 800-325-5052
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards
Flammable liquid, Harmful by ingestion., Harmful by skin absorption., Irritant, Carcinogen, Mutagen

Other hazards which do not result in classification
Lachrymator.

GHS Classification
Flammable liquids (Category 2)
Acute toxicity, Oral (Category 4)
Acute toxicity, Inhalation (Category 3)
Acute toxicity, Dermal (Category 4)
Skin irritation (Category 2)
Eye irritation (Category 2A)
Germ cell mutagenicity (Category 2)
Carcinogenicity (Category 2)
Specific target organ toxicity - single exposure (Category 2)
Specific target organ toxicity - single exposure (Category 3)
Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H225	Highly flammable liquid and vapour.
H302 + H312	Harmful if swallowed or in contact with skin
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.

H351	Suspected of causing cancer.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.

Precautionary statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P311	Call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	3
Physical hazards:	0

NFPA Rating

Health hazard:	2
Fire:	3
Reactivity Hazard:	0

Potential Health Effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Skin	Causes skin irritation.
Eyes	Causes eye irritation.
Ingestion	Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	:	3-Chloro-1-propene Chlorallylene
Formula	:	C_3H_5Cl
Molecular Weight	:	76.52 g/mol

Component		Concentration
3-Chloro-1-propene		
CAS-No.	107-05-1	-
EC-No.	203-457-6	
Index-No.	602-029-00-X	

4. FIRST AID MEASURES

General advice
Consult a physician. Show this safety data sheet to the doctor in attendance.Move out of dangerous area.

If inhaled
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact
Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed
Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability
Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters
Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products
Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Further information
Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions
Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up
Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling
Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.
Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage
Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: 2 - 8 °C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
3-Chloro-1-propene	107-05-1	TWA	1 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Eye & Upper Respiratory Tract irritation Liver & kidney damage See Notice of Intended Changes (NIC) Confirmed animal carcinogen with unknown relevance to humans			
		STEL	2 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Eye & Upper Respiratory Tract irritation Liver & kidney damage See Notice of Intended Changes (NIC) Confirmed animal carcinogen with unknown relevance to humans			
		TWA	1 ppm 3 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

	The value in mg/m3 is approximate.			
		TWA	1 ppm 3 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	2 ppm 6 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	1 ppm 3 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	2 ppm 6 mg/m3	USA. NIOSH Recommended Exposure Limits

Personal protective equipment

Respiratory protection
Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection
Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection
Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection
Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures
Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	clear, liquid
Colour	colourless

Safety data

pH	no data available
Melting point/freezing point	Melting point/range: -130 °C (-202 °F) - lit.
Boiling point	44 - 46 °C (111 - 115 °F) - lit.
Flash point	-32 °C (-26 °F) - closed cup
Ignition temperature	no data available
Autoignition temperature	no data available
Lower explosion limit	3.2 %(V)
Upper explosion limit	11.2 %(V)
Vapour pressure	393.577 hPa (295.207 mmHg) at 20 °C (68 °F) 1,418.532 hPa (1,063.986 mmHg) at 55 °C (131 °F)
Density	0.939 g/cm3 at 25 °C (77 °F)
Water solubility	no data available

Partition coefficient: n-octanol/water	no data available
Relative vapour density	2.64 - (Air = 1.0)
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid
Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid
Strong oxidizing agentsBoron trifluoride, Sulfuric acid, Nitric acid, Strong oxidizing agents

Hazardous decomposition products
Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas
Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50
Inhalation LC50
LC50 Inhalation - rat - 4 h - 2100 ppm

Dermal LD50
Other information on acute toxicity
no data available

Skin corrosion/irritation
Skin - rabbit -

Serious eye damage/eye irritation
Eyes - rabbit -

Respiratory or skin sensitization
no data available

Germ cell mutagenicity
In vitro tests showed mutagenic effects

Carcinogenicity

Limited evidence of carcinogenicity in animal studies

IARC:	3 - Group 3: Not classifiable as to its carcinogenicity to humans (3-Chloro-1-propene)
NTP:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)
May cause damage to organs.
May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)
no data available

Aspiration hazard
no data available

Potential health effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion	Toxic if swallowed.
Skin	Causes skin irritation.
Eyes	Causes eye irritation.

Signs and Symptoms of Exposure
spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

Synergistic effects
no data available

Additional Information
RTECS: UC7350000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 250 mg/l - 24 h

Persistence and degradability
no data available

Bioaccumulative potential
no data available

Mobility in soil
no data available

PBT and vPvB assessment
no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging
Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)
UN number: 1100 Class: 3 (6.1) Packing group: I
Proper shipping name: Allyl chloride
Reportable Quantity (RQ): 1000 lbs
Marine pollutant: No
Poison Inhalation Hazard: No

IMDG
UN number: 1100 Class: 3 (6.1) Packing group: I EMS-No: F-E, S-D
Proper shipping name: ALLYL CHLORIDE
Marine pollutant: No

IATA
UN number: 1100 Class: 3 (6.1) Packing group: I
Proper shipping name: Allyl chloride
IATA Passenger: Not permitted for transport

15. REGULATORY INFORMATION

OSHA Hazards
Flammable liquid, Harmful by ingestion., Harmful by skin absorption., Irritant, Carcinogen, Mutagen

SARA 302 Components
SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components
The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
3-Chloro-1-propene	107-05-1	2007-07-01

SARA 311/312 Hazards
Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
3-Chloro-1-propene	107-05-1	2007-07-01

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
3-Chloro-1-propene	107-05-1	2007-07-01

New Jersey Right To Know Components

	CAS-No.	Revision Date
3-Chloro-1-propene	107-05-1	2007-07-01

California Prop. 65 Components
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information
Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.