



SIGMA-ALDRICH

Material Safety Data Sheet

Date Printed: 04/05/2007
Date Updated: 09/13/2006
Version 1.20

Section 1 - Product and Company Information

Product Name Ampicillin Ready Made Solution
Product Number A5354
Brand Sigma Chemical

Company Sigma-Aldrich
Address 3050 Spruce Street
City, State, Zip, Country SAINT LOUIS, MO 63103 US
Technical Phone: 800-325-5832
Fax: 800-325-5052

Emergency Phone: 314-776-6555

Section 2 - Composition/Information on Ingredient

<u>Substance Name</u>	<u>CAS #</u>	<u>SARA 313</u>	<u>EC no</u>	<u>Annex I Index Number</u>
AMPICILLIN SOLUTION, 100 MG/ML IN DMSO	None	No		
<u>Ingredient Name</u>	<u>CAS #</u>	<u>Percent</u>	<u>SARA 313</u>	
AMPICILLIN ANHYDROUS CRYSTALLINE	69-53-4	8.330 %		
DIMETHYL SULFOXIDE	67-68-5	91.670 %	No	

Formula
Synonyms

Section 3 - Hazards Identification

Emergency Overview

Harmful.
Irritating to eyes, respiratory system and skin. May cause sensitization by inhalation and skin contact.
Target organ(s): Blood, Skin, Readily absorbed through skin. Combustible.

HMS Rating
Health: 3* Flammability: 1 Reactivity: 0

NFPA Rating
Health: 3 Flammability: 1 Reactivity: 0

*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

Oral Exposure

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Inhalation Exposure

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

Dermal Exposure

In case of contact, immediately wash skin with soap and copious amounts of water.

Eye Exposure

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Section 5 - Fire Fighting Measures

Flash Point: 188.6 °F 87 °C

Autoignition Temp: 301 °C

Extinguishing Media

Suitable

Water spray, Carbon dioxide, dry chemical powder, or appropriate foam.

Firefighting

Protective Equipment

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Specific Hazard(s)

Combustible liquid. Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

Procedure to be Followed In Case of Leak or Spill

Evacuate area.

Methods for Cleaning Up

Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

Environmental Precaution(s)

Avoid contaminating sewers and waterways with this material.

Section 7 - Handling and Storage

Handling

User Exposure

Do not breathe vapor. Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. Dimethyl sulfoxide is readily absorbed through skin and may carry such materials into the body. Avoid prolonged or repeated exposure.

Storage

Suitable

Store under inert gas. Keep tightly closed. Keep away from heat and open flame. Store at -20°C

Special Requirements

Store under inert gas. Hygroscopic.

Section 8 - Exposure Controls / PPE

Engineering Controls

Safety shower and eye bath, Mechanical exhaust required.

Personal Protective Equipment

Respiratory

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.

Hand

Compatible chemical-resistant gloves.

Eye

Chemical safety goggles.

Skin-Specific

Chemical resistant apron.

General Hygiene Measures

Wash contaminated clothing before reuse. Wash thoroughly after handling.

Section 9 - Physical/Chemical Properties**Appearance****Physical State**

Liquid

Molecular Weight: N/A

pH N/A
BP/BP Range 189 °C
MP/MP Range N/A
Freezing Point N/A
Vapor Pressure N/A
Vapor Density N/A
Saturated Vapor Conc. N/A
SG/Density N/A
Bulk Density N/A
Odor Threshold N/A
Volatile% N/A
VOC Content N/A
Water Content N/A
Solvent Content N/A
Evaporation Rate N/A
Viscosity N/A
Partition Coefficient N/A
Decomposition Temp. N/A
Flash Point °F 188.6 °F
Flash Point °C 87 °C

Method: closed cup
 Method: closed cup

Explosion Limits N/A

Flammability N/A
Autoignition Temp 301 °C
Solubility N/A

N/A = not available

Section 10 - Stability and Reactivity**Stability****Stable**

Stable

Conditions to Avoid

Exposure to moisture may affect product quality.

Materials to Avoid

Acid chlorides, Phosphorus halides, Strong acids, Strong oxidizing agents, Strong reducing agents.

Hazardous Decomposition Products**Hazardous Decomposition Products**

Carbon monoxide, Carbon dioxide, Sulfur oxides.

Sigma Chemical - A5354

Page 3

Sigma-Aldrich Corporation

www.sigma-aldrich.com

Hazardous Exothermic Reactions**Hazardous Exothermic Reactions**

Methyl sulfoxide (DMSO) undergoes a violent exothermic reaction on mixing with copper wool and trichloroacetic acid. On mixing with potassium permanganate it will flash instantaneously. It reacts violently with: acid halides, cyanuric chloride, silicon tetrachloride, phosphorus trichloride and trioxide, thionyl chloride, magnesium perchlorate, silver fluoride, methyl bromide, iodine pentalluoride, nitrogen periodate, diborane, sodium hydride, and perchloric and periodic acids. When heated above its boiling point methyl sulfoxide degrades giving off formaldehyde, methyl mercaptan, and sulfur dioxide.

Hazardous Polymerization**Hazardous Polymerization**

Will not occur.

Section 11 - Toxicological Information**Route of Exposure****Skin Contact**

May cause skin irritation.

Skin Absorption

May be harmful if absorbed through the skin. Readily absorbed through skin.

Eye Contact

May cause eye irritation.

Inhalation

Material may be irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled.

Ingestion

May be harmful if swallowed.

Sensitization**Sensitization**

May cause allergic reaction. There are reports of serious and sometimes fatal hypersensitivity (anaphylactic) reactions occurring in people receiving penicillin therapy-by the parenteral route although it has also occurred via oral administration. These reactions usually occur in individuals who have a history of sensitivity to multiple allergens, asthma, hay fever or urticaria. Ingestion has resulted in nausea, vomiting, diarrhea, glossitis, stomatitis, enterocolitis, pseudomembranous colitis. Hypersensitivity reactions: erythematous maculopapular rashes, erythema multiforme, urticaria and exfoliative dermatitis.

Target Organ(s) or System(s)

Eyes, Skin, Blood.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Conditions Aggravated by Exposure

Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. Dimethyl sulfoxide is readily absorbed through skin and may carry such materials into the body.

RTECS Number: N/A**Chronic Exposure - Carcinogen**

Result: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations**Appropriate Method of Disposal of Substance or Preparation**

Contact a licensed professional waste disposal service to dispose of this material. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Sigma Chemical - A5354

Page 4

Sigma-Aldrich Corporation

www.sigma-aldrich.com

Section 14 - Transport Information

DOT

Proper Shipping Name: Combustible liquid, n.o.s.
UN#: NA1993
Class: COMBUSTIBLE LIQUID
Packing Group: Packing Group III
Hazard Label: None
PIH: Not PIH

IATA

Non-Hazardous for Air Transport: Non-hazardous for air transport.

Section 15 - Regulatory Information

EU Additional Classification

Symbol of Danger: Xn

Indication of Danger

Harmful.

Risk Statements R: 42/43

May cause sensitization by inhalation and skin contact.

Safety Statements S: 36/37 23

Wear suitable protective clothing and gloves. Do not breathe vapor spray.

US Classification and Label Text

Indication of Danger

Harmful.

Risk Statements

Irritating to eyes, respiratory system and skin. May cause sensitization by inhalation and skin contact.

Safety Statements

Do not breathe vapor spray. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US Statements

Target organ(s): Blood, Skin, Readily absorbed through skin, Combustible.

United States Regulatory Information

SARA Listed: No

Canada Regulatory Information

WHMIS Classification

This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes

NDSL: No

Section 16 - Other Information

Disclaimer

For R&D use only. Not for drug, household or other uses.

Warranty

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2007 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

