SAFETY DATA SHEET

Version 4.10 Revision Date 06/28/2014 Print Date 11/06/2014

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Arsenic(III) oxide

Product Number : 311383
Brand : Sigma-Aldrich
Index-No. : 033-003-00-0

CAS-No. : 1327-53-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Carcinogenicity (Category 1A), H350 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H300 Fatal if swallowed.

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Sigma-Aldrich - 311383 Page 1 of 9

P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. P270 Avoid release to the environment. P273 Wear protective gloves/ protective clothing/ eve protection/ face P280 protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/ P301 + P310 physician. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated P303 + P361 + P353 clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position P304 + P340 comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P310 P321 Specific treatment (see supplemental first aid instructions on this label). Wash contaminated clothing before reuse. P363 Collect spillage. P391 P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Arsenous acid

Arsenic trioxide

Formula : As₂O₃

Molecular Weight : 197.84 g/mol
CAS-No. : 1327-53-3

EC-No. : 215-481-4
Index-No. : 033-003-00-0

Hazardous components

Component		Classification	Concentration			
Arsenic trioxide Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)						
		Acute Tox. 2; Skin Corr. 1B;	90 - 100 %			
		Eye Dam. 1; Carc. 1A; Aquatic				
		Acute 1; Aquatic Chronic 1;				
		H300, H314, H350, H410				

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

Sigma-Aldrich - 311383 Page 2 of 9

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Arsenic oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

no data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Sigma-Aldrich - 311383 Page 3 of 9

Component	CAS-No.	Value	Control parameters	Basis
	Remarks	Substance listed; for more information see OSHA document 1910.1018		
Arsenic trioxide	1327-53-3	TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Lung cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed human carcinogen varies		
		See 1910.1018		
		С	0.002 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential Occupational Carcinogen OSHA considers 'Inorganic Arsenic' to mean copper acetoarsenite & all inorganic compounds containing arsenic except ARSINE. See Appendix A 15 minute ceiling value		
		PEL	0.01 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens
		1910.1018 This section applies to all occupational exposures to inorganic arsenic except that this section does not apply to employee exposures in agriculture or resulting from pesticide application, the treatment of wood with preservatives or the utilization of arsenically preserved wood. OSHA specifically regulated carcinogen		

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Sigma-Aldrich - 311383 Page 4 of 9

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Form: powder a)

Colour: white, light grey

Odour odourless b)

Odour Threshold no data available c) d) pΗ no data available

Melting point/freezing

point

Melting point/range: 313 °C (595 °F)

Initial boiling point and boiling range

460 °C (860 °F) at 1,013 hPa (760 mmHg)

Flash point no data available Evapouration rate no data available i) Flammability (solid, gas) no data available

Upper/lower flammability or explosive limits no data available

Vapour pressure

0.000001 hPa (0.000001 mmHg) at 66 °C (151 °F)

Vapour density no data available m) Relative density 3.738 g/cm3

Water solubility 17.8 g/l at 20 °C (68 °F) - OECD Test Guideline 105

Partition coefficient: n-

octanol/water

log Pow: 5

p) Auto-ignition temperature

no data available

Decomposition temperature

no data available

Viscosity r)

no data available

Explosive properties no data available no data available Oxidizing properties

9.2 Other safety information

no data available

10. STABILITY AND REACTIVITY

Reactivity

no data available

Sigma-Aldrich - 311383 Page 5 of 9

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Oxidizing agents, Metals

10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 14.6 mg/kg

Inhalation: no data available

Dermal: no data available

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Human carcinogen.

IARC: 1 - Group 1: Carcinogenic to humans (Arsenic trioxide)

1 - Group 1: Carcinogenic to humans (Arsenic trioxide)

NTP: Known to be human carcinogen (Arsenic trioxide)

OSHA: OSHA specifically regulated carcinogen (Arsenic trioxide)

Reproductive toxicity

no data available

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Sigma-Aldrich - 311383 Page 6 of 9

Additional Information

RTECS: CG3325000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 8.23 mg/l - 24 h other aquatic

invertebrates

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Bioaccumulation Lepomis cyanellus

Bioconcentration factor (BCF): 236

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1561 Class: 6.1 Packing group: II

Proper shipping name: Arsenic trioxide

Reportable Quantity (RQ): 1 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1561 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: ARSENIC TRIOXIDE

Marine pollutant: No

IATA

UN number: 1561 Class: 6.1 Packing group: II

Proper shipping name: Arsenic trioxide

Sigma-Aldrich - 311383 Page 7 of 9

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date

Arsenic trioxide 1327-53-3 2008-11-03

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. 1327-53-3

Revision Date 2008-11-03

Arsenic trioxide

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Arsenic trioxide CAS-No. Revision Date 1327-53-3 2008-11-03

Pennsylvania Right To Know Components

Arsenic trioxide CAS-No. Revision Date 1327-53-3 2008-11-03

New Jersey Right To Know Components

CAS-No. Revision Date Arsenic trioxide 1327-53-3 2008-11-03

California Prop. 65 Components

WARNING! This product contains a chemical known to the CAS-No. Revision Date State of California to cause cancer. 1327-53-3 2007-09-28

Arsenic trioxide

WARNING: This product contains a chemical known to the CAS-No. Revision Date State of California to cause birth defects or other reproductive 1327-53-3 2007-09-28

harm.

Arsenic trioxide

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
Eye Dam. Serious eye damage
H300 Fatal if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H350 May cause cancer. H400 Very toxic to aquatic life.

HMIS Rating

Health hazard: 4
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 3 Fire Hazard: 0

Sigma-Aldrich - 311383 Page 8 of 9

Reactivity Hazard: 0

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.10 Revision Date: 06/28/2014 Print Date: 11/06/2014

Sigma-Aldrich - 311383 Page 9 of 9