



SIGMA-ALDRICH

Material Safety Data Sheet

Date Printed: 07/27/2005
Date Updated: 09/07/2002
Version 1.40

Section 1 - Product and Company Information

Product Name: ASTM D5134 QUALITATIVE REFERENCE REFORMATE STD., 6X1ML
 Product Number: 48266
 Brand: Supelco Chemical

Company: Sigma-Aldrich
 Street Address: 3050 Spruce Street
 City, State, Zip, Country: SAINT LOUIS, MO 63103 US
 Technical Phone: 314 771 5765
 Fax: 800 325 5052

Emergency Phone: 414 273 3850 Ext. 5996

Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	OSHA	SARA 313
ASTM D5134 QUALITATIVE REFERENCE REFORMATE STANDARD	None	Yes	Yes

Ingredient Name	CAS #	Percent	OSHA	SARA 313
AROMATICS	None	>= 40.000 % <= 60.000 %	No	
PARAFFINS	None	>= 30.000 % <= 50.000 %	No	No
TOLUENE	108-88-3	3.000 % 18.000 %		Yes
BENZENE	71-43-2	0.500 % 5.000 %	Yes	Yes
ETHYLBENZENE	100-41-4	0.500 % 3.500 %		Yes

Formula
Synonyms

Section 3 - Hazards Identification

Emergency Overview

Flammable (USA) Highly Flammable (EU), Toxic. Highly flammable. May cause cancer. May impair fertility. Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. Irritating to respiratory system and skin. Risk of serious damage to eyes. Danger: contains benzene, cancer hazard. Confirmed Carcinogen (US). Calif. Prop. 65 reproductive hazard. Target organ(s): Blood, Bone marrow.

HMIS Rating
Health: 2* Flammability: 3 Reactivity: 0

NFPA Rating
Health: 2 Flammability: 3 Reactivity: 0

*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

Oral Exposure

If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately.

Inhalation Exposure

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

Dermal Exposure

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

Eye Exposure

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Section 5 - Fire Fighting Measures

Flammable Hazards: Yes

Explosion Hazards

Vapor may travel considerable distance to source of ignition and flash back. Container explosion may occur under fire conditions.

Autoignition Temp: N/A

Flammability: Yes

Extinguishing Media

Suitable

Water spray, Carbon dioxide, dry chemical powder, or appropriate foam.

Firefighting

Protective Equipment

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Specific Hazard(s)

Flammable liquid. Vapor may travel considerable distance to source of ignition and flash back. Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

Procedure to be Followed in Case of Leak or Spill

Evacuate area. Shut off all sources of ignition.

Procedure(s) of Personal Precaution(s)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

Methods for Cleaning Up

Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

Section 7 - Handling and Storage

Handling

User Exposure

Do not breathe vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

Supelco Chemical - 48266

Page 2

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Storage
Suitable

Keep container closed. Keep away from heat, sparks, and open flame. Store in a cool dry place.

Section 8 - Exposure Controls / PPE**Engineering Controls**

Safely shower and eye bath. Use nonsparking tools. Use only in a chemical fume hood.

Personal Protective Equipment**Respiratory**

Government approved respirator.

Hand

Compatible chemical-resistant gloves.

Eye

Chemical safety goggles.

General Hygiene Measures

Wash contaminated clothing before reuse. Wash thoroughly after handling.

Exposure Limits

Country	Type	Value
Poland	NDS	10 MG/M3
Poland	NDSCh	40 MG/M3
Poland	NDSP	

Section 9 - Physical/Chemical Properties**Appearance**

Physical State
Liquid

Molecular Weight: N/A

pH	N/A
BP/BP Range	N/A
MP/MP Range	N/A
Freezing Point	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Saturated Vapor Conc.	N/A
SG/Density	N/A
Bulk Density	N/A
Odor Threshold	N/A
Volatile%	N/A
VOC Content	N/A
Water Content	N/A
Solvent Content	N/A
Evaporation Rate	N/A
Viscosity	N/A
Partition Coefficient	N/A
Decomposition Temp.	N/A
Flash Point °F	N/A
Flash Point °C	N/A
Explosion Limits	N/A

Flammability N/A
Autoignition Temp N/A

Solubility N/A

N/A = not available

Section 10 - Stability and Reactivity**Stability**

Stable

Stable.

Materials to Avoid

Acids, Bases, Halogens, Strong oxidizing agents, Avoid contact with metal salts.

Hazardous Decomposition Products

Hazardous Decomposition Products

Carbon monoxide, Carbon dioxide.

Hazardous Polymerization

Hazardous Polymerization

Will not occur.

Section 11 - Toxicological Information**Route of Exposure****Skin Contact**

Causes skin irritation.

Skin Absorption

Toxic if absorbed through skin.

Eye Contact

Causes severe eye irritation.

Inhalation

Toxic if inhaled. Vapor or mist is irritating to the mucous membranes and upper respiratory tract.

Ingestion

Toxic if swallowed.

Target Organ(s) or System(s)

Blood. Bone marrow. Eyes. Female reproductive system.

Signs and Symptoms of Exposure

Exposure can cause: Narcotic effect. Inhalation of high concentrations of benzene may have an initial stimulatory effect on the central nervous system characterized by exhilaration, nervous excitation and/or giddiness, depression, drowsiness, or fatigue. The victim may experience tightness in the chest, breathlessness, and loss of consciousness. Tremors, convulsions, and death due to respiratory paralysis or circulatory collapse can occur in a few minutes to several hours following severe exposures. Aspiration of small amounts of liquid immediately causes pulmonary edema and hemorrhage of pulmonary tissue. Direct skin contact may cause erythema. Repeated or prolonged skin contact may result in drying, scaling dermatitis, or development of secondary skin infections. The chief target organ is the hematopoietic system. Bleeding from the nose, gums, or mucous membranes and the development of purpuric spots, pancytopenia, leukopenia, thrombocytopenia, aplastic anemia, and leukemia may occur as the condition progresses. The bone marrow may appear normal, aplastic or hyperplastic, and may not correlate with peripheral blood-forming tissues. The onset of effects of prolonged benzene exposure may be delayed for many months or years after the actual exposure has ceased.

RTECS Number: N/A

Chronic Exposure Carcinogen

Result: This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Chronic Exposure - Mutagen

Result: Laboratory experiments have shown mutagenic effects.

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

Appropriate Method of Disposal of Substance or Preparation

Contact a licensed professional waste disposal service to dispose of this material.
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.
Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Benzene
UN#: 1114
Class: 3
Packing Group: Packing Group II
Hazard Label: Flammable liquid
PIH: Not PIH

IATA

Proper Shipping Name: Benzene
IATA UN Number: 1114
Hazard Class: 3
Packing Group: II

Section 15 - Regulatory Information

EU Additional Classification

Symbol of Danger: F T

Indication of Danger

Highly Flammable, Toxic.

Risk Statements R: 11 60 41 37/38 48/23/24/25

Highly flammable. May impair fertility. Risk of serious damage to eyes. Irritating to respiratory system and skin. Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

Safety Statements S: 53 45

Restricted to professional users. Attention - Avoid exposure - obtain special instructions before use. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US Classification and Label Text

Indication of Danger

Flammable (USA) Highly Flammable (EU), Toxic.

Risk Statements

Highly flammable. May cause cancer. May impair fertility. Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. Irritating to respiratory system and skin. Risk of serious damage to eyes.

Safety Statements

Restricted to professional users. Attention - Avoid exposure - obtain special instructions before use. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US Statements

Danger: contains benzene, cancer hazard. Confirmed Carcinogen (US). Calif. Prop. 65 reproductive hazard. Target organ(s): Blood, Bone marrow.

United States Regulatory Information

SARA Listed: Yes

Notes: This product is or contains a component that is subject to SARA313 reporting requirements.

OSHA Remarks

OSHA-regulated carcinogen. See CFR title 29 part 1910.1028

United States - State Regulatory Information

California Prop - 65

This product is or contains chemical(s) known to the state of California to cause cancer. This product is or contains chemical(s) known to the state of California to cause developmental toxicity. This product is or contains chemical(s) known to the state of California to cause male reproductive toxicity.

Canada Regulatory Information

WHMIS Classification

This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: No

NDSL: No

Section 16 - Other Information

Disclaimer

For R&D use only. Not for drug, household or other uses.

Warranty

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

