Material Safety Data Sheet

Version 5.1 Revision Date 05/16/2012 Print Date 06/14/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name p-Anisidine

Product Number A88255 Brand Aldrich

Supplier Sigma-Aldrich

> 3050 Spruce Street SAINT LOUIS MO 63103

USA

+1 800-325-5832 Telephone Fax +1 800-325-5052 Emergency Phone # (For (314) 776-6555

both supplier and

manufacturer)

Preparation Information Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Highly toxic by inhalation, Harmful by ingestion., Highly toxic by skin absorption, Carcinogen

Target Organs

Blood

GHS Classification

Acute toxicity, Oral (Category 3) Acute toxicity, Inhalation (Category 2) Acute toxicity, Dermal (Category 1) Respiratory sensitization (Category 1) Skin sensitization (Category 1) Carcinogenicity (Category 1B) Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

Toxic if swallowed. H301

Fatal in contact with skin or if inhaled H310 + H330 H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H350 May cause cancer. H400 Very toxic to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P260

Avoid release to the environment. P273

P280 Wear protective gloves/ protective clothing.

P284 Wear respiratory protection.

P302 + P350 IF ON SKIN: Gently wash with plenty of soap and water.
P310 Immediately call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 4
Chronic Health Hazard: *
Flammability: 1
Physical hazards: 0

NFPA Rating

Health hazard: 4
Fire: 1
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be fatal if inhaled. May cause respiratory tract irritation.Skin May be fatal if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : 4-Aminoanisole

4-Methoxyaniline

Formula : C₇H₉NO Molecular Weight : 123.15 g/mol

Component		Classification	Concentration
p-Anisidine			
CAS-No. EC-No. Index-No.	104-94-9 203-254-2 612-112-00-2	Acute Tox. 2; Acute Tox. 1; STOT RE 2; Aquatic Acute 1; H300 + H310 + H330, H373, H400	60 - 100 %
2-Methoxyaniline			
CAS-No. EC-No. Index-No.	90-04-0 201-963-1 612-035-00-4	Acute Tox. 3; Muta. 2; Carc. 1B; H301, H311, H331, H341, H350	0.1 - 1 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Aldrich - A88255 Page 2 of 8

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Store under nitrogen. Air sensitive. Moisture sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
p-Anisidine	104-94-9	TWA	0.5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	0.5 mg/m3	USA. NIOSH Recommended Exposure Limits
Remarks	Potential for	dermal ab	sorption	
		TWA	0.5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		n), see BEI	® for Methemoglo	th there is a Biological Exposure Index or Indices (see bin Inducers Not classifiable as a human carcinogen
2-Methoxyaniline	90-04-0	TWA	0.5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	0.5 mg/m3	USA. NIOSH Recommended Exposure Limits
Remarks	Potential Occupational Carcinogen o-Anisidine has been used as a basis for many dyes. See Appendix A Potential for dermal absorption			
		TWA	0.5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
				th there is a Biological Exposure Index or Indices (see bin Inducers Confirmed animal carcinogen with unknown

Aldrich - A88255 Page 3 of 8

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form solid

Colour dark brown

Safety data

pH no data available

Melting Melting point/range: 56 - 59 °C (133 - 138 °F) - lit.

point/freezing point

Boiling point 240 - 243 °C (464 - 469 °F) - lit. Flash point 122 °C (252 °F) - closed cup

Ignition temperature no data available
Autoignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available
Density no data available
Water solubility no data available
Partition coefficient: no data available

n-octanol/water

Relative vapour no data available

density

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

Aldrich - A88255 Page 4 of 8

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

no data available

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx) Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx) Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

no data available

Inhalation LC50

no data available

Dermal LD50

no data available

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes: no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: 2B - Group 2B: Possibly carcinogenic to humans (2-Methoxyaniline)

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (p-Anisidine)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Aldrich - A88255 Page 5 of 8

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be fatal if inhaled. May cause respiratory tract irritation.

Ingestion Harmful if swallowed.

Skin May be fatal if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Synergistic effects

no data available

Additional Information RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2811 Class: 6.1 Packing group: III Proper shipping name: Toxic solids, organic, n.o.s. (p-Anisidine)

Reportable Quantity (RQ): 100000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 2811 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (p-Anisidine)

Marine pollutant: No

IATA

UN number: 2811 Class: 6.1 Packing group: III Proper shipping name: Toxic solid, organic, n.o.s. (p-Anisidine)

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect, Highly toxic by inhalation, Harmful by ingestion., Highly toxic by skin absorption, Carcinogen

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
p-Anisidine	104-94-9	2007-07-01
2-Methoxyaniline	90-04-0	2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

p-Anisidine	CAS-No. 104-94-9	Revision Date 2007-07-01
2-Methoxyaniline	90-04-0	2007-07-01
ennsylvania Right To Know Components		

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
p-Anisidine	104-94-9	2007-07-01
2-Methoxyaniline	90-04-0	2007-07-01

New Jersey Right To Know Components

	CAS-No.	Revision Date
p-Anisidine	104-94-9	2007-07-01
2-Methoxyaniline	90-04-0	2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of	CAS-No.	Revision Date
California to cause cancer.	90-04-0	2007-09-28

2-Methoxyaniline

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Carc.	Carcinogenicity
H300 + H310 +	Fatal if swallowed, in contact with skin or if inhaled
H330	
H301	Toxic if swallowed.
H311	Toxic in contact with skin.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

May cause damage to organs through prolonged or repeated exposure. H373

H400 Very toxic to aquatic life. Germ cell mutagenicity Muta.

STOT RE Specific target organ toxicity - repeated exposure

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Aldrich - A88255 Page 7 of 8 The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - A88255 Page 8 of 8