SIGMA-ALDRICH

Material Safety Data Sheet

Version 3.0 Revision Date 12/30/2008 Print Date 07/02/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : *trans*-1,4-Diaminocyclohexane

Product Number : 32851 Brand : Aldrich

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # : (314) 776-6555

2. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : trans-1,4-Cyclohexanediamine

Formula : $C_6H_{14}N_2$ Molecular Weight : 114.19 g/mol

CAS-No.	EC-No.	Index-No.	Concentration		
trans-1,4-Diaminocyclohexane					
2615-25-0	-	-	-		

3. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Harmful by ingestion., Corrosive

HMIS Classification

Health Hazard: 3 Flammability: 0 Physical hazards: 0

NFPA Rating

Health Hazard: 3
Fire: 2
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the

mucous membranes and upper respiratory tract.

Skin May be harmful if absorbed through skin. Causes skin burns.

Eves Causes eye burns.

Aldrich - 32851 Sigma-Aldrich Corporation www.sigma-aldrich.com Page 1 of 6

Ingestion Harmful if swallowed. Causes burns.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point 71 °C (160 °F) - closed cup

Ignition temperature 360 °C (680 °F)

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Do not let product enter drains.

Methods for cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Storage

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. Sensitive to carbon dioxide

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form crystalline
Colour light brown

Safety data

pH no data available

Melting point 68 - 72 °C (154 - 162 °F)

67 - 72 °C (153 - 162 °F)

Boiling point 197 °C (387 °F)

Flash point 71 °C (160 °F) - closed cup

Ignition temperature 360 °C (680 °F)

Lower explosion limit 1.2 %(V)
Upper explosion limit 6 %(V)

Vapour pressure 24 hPa (18 mmHg) at 87.2 °C (189.0 °F)

Water solubility no data available

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Materials to avoid

Strong oxidizing agents, Strong acids, Acid chlorides, Carbon dioxide (CO2)

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 1,300 mg/kg

Irritation and corrosion

no data available

Sensitisation

no data available

Chronic exposure

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by OSHA.

Signs and Symptoms of Exposure

Cough, Shortness of breath, Headache, Nausea, Vomiting

Potential Health Effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the

mucous membranes and upper respiratory tract.

Skin May be harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Ingestion Harmful if swallowed. Causes burns.

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

no data available

Ecotoxicity effects

no data available

Further information on ecology

no data available

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 3259 Class: 8 Packing group: II

Proper shipping name: Amines, solid, corrosive, n.o.s. (trans-1,4-Diaminocyclohexane)

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN-Number: 3259 Class: 8 Packing group: II EMS-No: F-A. S-B Proper shipping name: AMINES, SOLID, CORROSIVE, N.O.S. (trans-1,4-Diaminocyclohexane)

Marine pollutant: No

IATA

UN-Number: 3259 Class: 8 Packing group: II

Proper shipping name: Amines, solid, corrosive n.o.s. (trans-1,4-Diaminocyclohexane)

15. REGULATORY INFORMATION

OSHA Hazards

Harmful by ingestion., Corrosive

DSL Status

This product contains the following components that are not on the Canadian DSL nor NDSL lists.

CAS-No. 2615-25-0

trans-1,4-Diaminocyclohexane

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

CAS-No.

Revision Date

trans-1,4-Diaminocyclohexane

2615-25-0

New Jersey Right To Know Components

CAS-No.

Revision Date

trans-1,4-Diaminocyclohexane

2615-25-0

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

Further information

Copyright 2008 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

guide. The information in the product with regard to appro	elieved to be correct but does is document is based on the popriate safety precautions. It d	resent state of our knowledg oes not represent any guara	e and is applicable to the ntee of the properties of the
product. Sigma-Aldrich Co., the above product. See reve	shall not be held liable for an erse side of invoice or packing	y damage resulting from hand g slip for additional terms and	dling or from contact with conditions of sale.
	Sigmo Aldrio	h Corporation	