

SIGMA-ALDRICH

Material Safety Data Sheet

Version 3.0
Revision Date 08/21/2009
Print Date 11/25/2009

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 1,2-Dimethoxyethane
Product Number : E27408
Brand : Sigma-Aldrich
Company : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA
Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # : (314) 776-6555

2. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Monoglyme
Dimethylglycol
mono-Glyme
Ethylene glycol dimethyl ether
Formula : $C_4H_{10}O_2$
Molecular Weight : 90.12 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Ethylene glycol dimethyl ether			
110-71-4	203-794-9	603-031-00-3	-

3. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable Liquid, Target Organ Effect, Reproductive hazard

Target Organs

Liver, Kidney, Blood, Central nervous system, Female reproductive system., Male reproductive system.

HMIS Classification

Health Hazard: 1
Chronic Health Hazard: *
Flammability: 3
Physical hazards: 3

NFPA Rating

Health Hazard: 0
Fire: 3

Sigma-Aldrich - E27408
Delivery 0834000388-000010 Purchase Order 37975H

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Page 1 of 6

Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.
Skin May be harmful if absorbed through skin. May cause skin irritation.
Eyes May cause eye irritation.
Ingestion May be harmful if swallowed.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point 5 °C (41 °F) - closed cup

Ignition temperature 202 °C (396 °F)

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods for cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Handling

Avoid inhalation of vapour or mist
Keep away from sources of ignition. No smoking. Take measures to prevent the build up of electrostatic charge.

Sigma Aldrich E27408
Delivery 0834000388 000010 Purchase Order 37975H

Sigma Aldrich Corporation
www.sigma-aldrich.com

Page 2 of 6

Storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Face shield and safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form	liquid, clear
Colour	colourless

Safety data

pH	no data available
Melting point	-58 °C (-72 °F) - lit.
Boiling point	85 °C (185 °F) - lit.
Flash point	5 °C (41 °F) - closed cup
Ignition temperature	202 °C (396 °F)
Lower explosion limit	1.6 %(V)
Upper explosion limit	10.4 %(V)
Vapour pressure	64 hPa (48 mm-Hg) at 20 °C (68 °F)
Density	0.867 g/mL at 25 °C (77 °F)
Water solubility	soluble
Relative vapour density	3.11 - (Air = 1.0)

10. STABILITY AND REACTIVITY**Storage stability**

Stable under recommended storage conditions.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Oxidizing agents, Strong acids

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides
Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

Hazardous reactions

Vapours may form explosive mixture with air.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

LD50 Oral - mouse - 3,200 mg/kg

Irritation and corrosion

no data available

Sensitisation

no data available

Chronic exposure

IARC:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

May cause reproductive disorders.

Signs and Symptoms of Exposure

narcois, Exposure to and/or consumption of alcohol may increase toxic effects.

Potential Health Effects

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.
Ingestion	May be harmful if swallowed.
Target Organs	Liver, Kidney, Blood, Central nervous system, Female reproductive system., Male reproductive system.,

Additional information

RTECS: KH451000

12. ECOLOGICAL INFORMATION

Elimination Information (persistence and degradability)

no data available

Ecotoxicity effects

no data available

Further Information on ecology

no data available

13. DISPOSAL CONSIDERATIONS**Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION**DOT (US)**

UN-Number: 2252 Class: 3 Packing group: II
Proper shipping name: 1,2-Dimethoxyethane
Marine pollutant: No
Poison Inhalation Hazard: No

IMDG

UN-Number: 2252 Class: 3 Packing group: II EMS-No: F-E, S-D
Proper shipping name: 1,2-DIMETHOXYETHANE
Marine pollutant: No

IATA

UN-Number: 2252 Class: 3 Packing group: II
Proper shipping name: 1,2-Dimethoxyethane

15. REGULATORY INFORMATION**OSHA Hazards**

Flammable Liquid, Target Organ Effect, Reproductive hazard

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

	CAS-No.	Revision Date
Ethylene glycol dimethyl ether	110-71-4	1993-04-24

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Ethylene glycol dimethyl ether	110-71-4	1993-04-24

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Ethylene glycol dimethyl ether	110-71-4	1993-04-24

New Jersey Right To Know Components

	CAS-No.	Revision Date
Ethylene glycol dimethyl ether	110-71-4	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION**Further Information**

Copyright 2009 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

