Material Safety Data Sheet

Version 4.1 Revision Date 01/17/2012 Print Date 06/13/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Dibutyltin(IV) oxide

Product Number 183083 Brand Aldrich

Supplier Sigma-Aldrich

> 3050 Spruce Street SAINT LOUIS MO 63103

USA

+1 800-325-5832 Telephone Fax +1 800-325-5052 Emergency Phone # (For (314) 776-6555

both supplier and

manufacturer)

Preparation Information Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Highly toxic by ingestion, Irritant

GHS Classification

Acute toxicity, Oral (Category 2) Skin irritation (Category 3)

Serious eye damage (Category 1)

Specific target organ toxicity - repeated exposure, Oral (Category 1)

Acute aquatic toxicity (Category 2) Chronic aquatic toxicity (Category 4)

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H300 Fatal if swallowed. H316 Causes mild skin irritation. H318 Causes serious eye damage.

H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

Toxic to aquatic life. H401

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statement(s)

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Get medical advice/ attention if you feel unwell. P314

HMIS Classification

Health hazard: 3 Flammability: 0 Physical hazards: 0

NFPA Rating

Health hazard: 3 Fire: 0 Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation. **Ingestion** May be fatal if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Dibutyloxotin

Formula : C₈H₁₈OSn Molecular Weight : 248.94 g/mol

Component		Concentration
Dibutyltin oxide		
CAS-No.	818-08-6	-
EC-No.	212-449-1	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Tin/tin oxides

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - 183083 Page 2 of 7

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis	
Dibutyltin oxide	818-08-6	TWA	0.1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
Remarks	Not classifiable as a human carcinogen Danger of cutaneous absorption varies				
		STEL	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Not classifiable as a human carcinogen Danger of cutaneous absorption varies				
		TWA	0.1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
	Skin notation				
		TWA	0.1 mg/m3	USA. NIOSH Recommended Exposure Limits	
	Also see specific listing for Cyhexatin. Potential for dermal absorption				

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Aldrich - 183083 Page 3 of 7

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form powder Colour white

Safety data

no data available pΗ

Melting Melting point/range: >= 300 °C (>= 572 °F)

point/freezing point

Boiling point no data available no data available Flash point 279 °C (534 °F) Ignition temperature Autoignition no data available

temperature

Lower explosion limit no data available Upper explosion limit no data available

no data available Vapour pressure

Density 1.580 g/cm3

Water solubility no data available Partition coefficient: log Pow: 5.33

n-octanol/water

Relative vapour

density

no data available

Odour no data available Odour Threshold no data available Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Tin/tin oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 44.9 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity).

Inhalation LC50

no data available

Dermal LD50

LD50 Dermal - rat - > 2,000 mg/kg

Other information on acute toxicity

no data available

Skin corrosion/irritation

Skin - rabbit - Mild skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - rabbit - Severe eye irritation

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

Developmental Toxicity - rat - Oral

Specific Developmental Abnormalities: Craniofacial (including nose and tongue). Specific Developmental Abnormalities: Musculoskeletal system.

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

Ingestion - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be fatal if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

Aldrich - 183083 Page 5 of 7

Signs and Symptoms of Exposure

Cough, Shortness of breath, Headache, Nausea, Vomiting

Synergistic effects

no data available

Additional Information

Repeated dose toxicity - Liver:Other changes. Gastrointestinal:Changes in structure or function of exocrine pancreas. RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Oryzias latipes - 0.84 mg/l - 48.0 h

Toxicity to daphnia EC50 - Daphnia - 2 mg/l - 48 h

and other aquatic invertebrates

Toxicity to algae EC50 - Algae - > 2 mg/l - 72 h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3146 Class: 6.1 Packing group: II Proper shipping name: Organotin compounds, solid, n.o.s.

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 3146 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: ORGANOTIN COMPOUND, SOLID, N.O.S. (Dibutyltin oxide)

Marine pollutant: Marine pollutant

IATA

UN number: 3146 Class: 6.1 Packing group: II

Proper shipping name: Organotin compound, solid, n.o.s. (Dibutyltin oxide)

15. REGULATORY INFORMATION

Aldrich - 183083 Page 6 of 7

OSHA Hazards

Highly toxic by ingestion, Irritant

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

CAS-No. **Revision Date**

Dibutyltin oxide 818-08-6

New Jersey Right To Know Components

CAS-No. **Revision Date**

Dibutyltin oxide 818-08-6

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 183083 Page 7 of 7