

# SAFETY DATA SHEET

Creation Date 23-Nov-2009

Revision Date 19-Dec-2025

Revision Number 9

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

## 1. Identification

**Product Name** Ammonium hydroxide

**Cat No. :** AC205840000; AC205840010; AC205840025; AC205840050;  
AC205840100; AC205840250

**Synonyms** Ammonia solution; Ammonia water; Ammonium hydrate

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	

### Label Elements

#### **Signal Word**

Danger

#### **Hazard Statements**

Causes severe skin burns and eye damage

May cause respiratory irritation



### Precautionary Statements

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Use only outdoors or in a well-ventilated area

#### Response

Immediately call a POISON CENTER or doctor

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
 Take off contaminated clothing and wash before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Storage

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

#### Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

### 3. Composition/information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	70-75
Ammonium hydroxide	1336-21-6	25-30
Ammonia	7664-41-7	-

### 4. First-aid measures

#### General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

**Ingestion**

Do NOT induce vomiting. Call a physician or Poison Control Centre immediately.

**Most important symptoms and effects**

Causes burns by all exposure routes. . Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

**Notes to Physician**

Treat symptomatically

## 5. Fire-fighting measures

**Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media**

No information available

**Flash Point Method -**

No information available  
No information available

**Autoignition Temperature**

651 °C / 1203.8 °F

**Explosion Limits****Upper**

No data available

**Lower**

No data available

**Sensitivity to Mechanical Impact**

No information available

**Sensitivity to Static Discharge**

No information available

**Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>).

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA**

**Health**  
3

**Flammability**  
1

**Instability**  
0

**Physical hazards**  
N/A

## 6. Accidental release measures

**Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapors.

**Environmental Precautions**

Should not be released into the environment. Keep out of waterways. Collect spillage. See Section 12 for additional Ecological Information.

**Methods for Containment and Clean Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## 7. Handling and Storage

**Handling**

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Strong oxidizing agents. Metals. Acids. Fluorine. Halogens.

## 8. Exposure controls / personal protection

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Ammonia	TWA: 25 ppm STEL: 35 ppm	(Vacated) STEL: 35 ppm (Vacated) STEL: 27 mg/m <sup>3</sup> TWA: 50 ppm TWA: 35 mg/m <sup>3</sup>	IDLH: 300 ppm REL = 25 ppm (TWA) REL = 18 mg/m <sup>3</sup> (TWA) STEL: 35 ppm STEL: 27 mg/m <sup>3</sup>	TWA: 25 ppm STEL: 35 ppm

**Engineering Measures** Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Inorganic gases and vapours filter. Type B. Grey. or. Ammonia and organic ammonia derivatives filter. Type K. Green. conforming to EN14387.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

### Appearance

**Physical State**

Liquid

**Color**

Colorless

**Odor**

Ammonia-like

**Odor Threshold**

No information available

### Property

#### Values

#### Remarks

#### Method

**Melting Point/Range**

-57 °C / -70.6 °F

**Softening Point**

No data available

**Boiling Point/Range**

38 °C / 100.4 °F

**Flash Point**

No information available

**Method -** No information available

**Flammability (liquid)**

No data available

**Flammability (solid,gas)**

Not applicable

Liquid

**Explosion Limits**

**Lower** 15 Vol%

**Upper** 28 Vol%

**Autoignition Temperature**

651 °C / 1203.8 °F

**Decomposition Temperature**

No data available

**pH**

12

**Viscosity**

No data available

**Water Solubility**

Soluble

**Solubility in other solvents**

No information available

**Partition Coefficient (n-octanol/water)**

<b>Vapor Pressure</b>	500 hPa @ 20 °C	
<b>Density / Specific Gravity</b>	0.88-0.91	
<b>Bulk Density</b>	Not applicable	Liquid
<b>Vapor Density</b>	0.59	(Air = 1.0)
<b>Particle characteristics</b>	Not applicable (liquid)	

**Other Information****10. Stability and reactivity**

<b>Reactive Hazard</b>	None known, based on information available
<b>Stability</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	Incompatible products. Excess heat.
<b>Incompatible Materials</b>	Strong oxidizing agents, Metals, Acids, Fluorine, Halogens
<b>Hazardous Decomposition Products</b>	Nitrogen oxides (NOx)
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions</b>	None under normal processing.

**11. Toxicological information****Information on expected route of exposure**

<b>Inhalation</b>	Causes burns. May be harmful if inhaled.
<b>Ingestion</b>	Causes burns. May be harmful if swallowed.
<b>Eyes</b>	Causes burns.
<b>Skin</b>	Causes burns. May be harmful in contact with skin.

**Toxicology data for the components**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Ammonium hydroxide	LD50 > 350 mg/kg (Rat)	-	-
Ammonia	LD50 = 350 mg/kg (Rat)	-	LC50 = 9850 mg/m <sup>3</sup> (Rat) 1 h LC50 = 13770 mg/m <sup>3</sup> (Rat) 1 h

**Toxicologically Synergistic Products** No information available

**(b) skin corrosion/irritation;** Category 1 B

**(c) serious eye damage/irritation;** Category 1

**(d) respiratory or skin sensitization;**  
**Respiratory** No data available  
**Skin** No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;**

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Ammonium hydroxide	1336-21-6	Not listed	Not listed	Not listed	Not listed	Not listed
Ammonia	7664-41-7	Not listed	Not listed	Not listed	Not listed	Not listed

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

**Symptoms / effects, both acute and delayed** Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

**Other Adverse Effects** The toxicological properties have not been fully investigated.

**Endocrine Disrupting Properties** This product does not contain any known or suspected endocrine disruptors.

## 12. Ecological information

### Ecotoxicity

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ammonium hydroxide	-	0.53 mg/l LC50 96h 0.75 - 3.4 mg/l LC50 96h 8.2 mg/L LC50 96h	-	EC50: 0.66 mg/L/48h
Ammonia	Not listed	LC50: 0.26 - 4.6 mg/L, 96h (Lepomis macrochirus) LC50: = 1.17 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 0.73 - 2.35 mg/L, 96h (Pimephales promelas) LC50: = 5.9 mg/L, 96h static (Pimephales promelas) LC50: > 1.5 mg/L, 96h (Poecilia reticulata) LC50: = 1.19 mg/L, 96h static (Poecilia reticulata) LC50: = 0.44 mg/L, 96h (Cyprinus carpio)	EC50 = 2.0 mg/L 5 min	EC50 = 25.4 mg/L, 48h (Daphnia magna) NOEC = 0.79 mg/L (Daphnia magna)

**Persistence and Degradability** Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

### 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

**DOT**

**UN-No** UN2672  
**Proper Shipping Name** AMMONIA SOLUTIONS  
**Hazard Class** 8  
**Packing Group** III

**TDG**

**UN-No** UN2672  
**Proper Shipping Name** AMMONIA SOLUTIONS  
**Hazard Class** 8  
**Packing Group** III

**IATA**

**UN-No** UN2672  
**Proper Shipping Name** AMMONIA SOLUTION  
**Hazard Class** 8  
**Packing Group** III

**IMDG/IMO**

**UN-No** UN2672  
**Proper Shipping Name** AMMONIA SOLUTION  
**Hazard Class** 8  
**Packing Group** III

### 15. Regulatory Information

**United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	X	ACTIVE	-
Ammonium hydroxide	1336-21-6	X	ACTIVE	-
Ammonia	7664-41-7	X	ACTIVE	-

**Legend:**

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)** Not applicable

**TSCA 12(b)** - Notices of Export Not applicable

**International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	X	-	231-791-2	X	X		X	X	KE-35400
Ammonium hydroxide	1336-21-6	X	-	215-647-6	X	X	X	X	X	KE-01688
Ammonia	7664-41-7	X	-	231-635-3	X	X	X	X	X	KE-01625

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting thresholds
Ammonium hydroxide	1336-21-6	25-30	1.0 %	-
Ammonia	7664-41-7	-	1.0 %	-

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Ammonium hydroxide	X	1000 lb	-	-
Ammonia	X	100 lb	-	-

**Clean Air Act**

Not applicable

**OSHA - Occupational Safety and Health Administration**

Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Ammonia	-	TQ: 10000 lb TQ: 15000 lb

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Ammonium hydroxide	1000 lb	-	1000 lb 454 kg
Ammonia	100 lb	100 lb	100 lb 45.4 kg

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Ammonium hydroxide	X	X	X	-	-
Ammonia	X	X	X	-	X

**U.S. Department of Transportation**

Reportable Quantity (RQ): Y  
DOT Marine Pollutant Y  
DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product contains the following DHS chemicals:

**Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
-----------	-----------------------------------------------

Ammonia	Release STQs - 10000lb (anhydrous) Release STQs - 20000lb (concentration >=20%)
---------	------------------------------------------------------------------------------------

**Other International Regulations**

Mexico - Grade No information available

**Authorisation/Restrictions according to EU REACH**

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Ammonium hydroxide	1336-21-6	-	Use restricted. See entry 75. (see link for restriction details) Use restricted. See entry 65. (see link for restriction details)	-
Ammonia	7664-41-7	-	Use restricted. See entry 75. (see link for restriction details)	-

**REACH links**

<https://echa.europa.eu/substances-restricted-under-reach>

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Ammonium hydroxide	1336-21-6	Listed	Not applicable	Not applicable	Not applicable
Ammonia	7664-41-7	Listed	Not applicable	Not applicable	Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

**Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Ammonium hydroxide	1336-21-6	Not applicable	Not applicable	Not applicable	Not applicable
Ammonia	7664-41-7	50 tonne	200 tonne	Not applicable	Not applicable

## 16. Other Information

**Prepared By**

Product stewardship (Regulatory Affairs)  
Thermo Fisher Scientific  
email - [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

**Creation Date** 23-Nov-2009  
**Revision Date** 19-Dec-2025  
**Print Date** 19-Dec-2025  
**Revision Summary** Updated to the U.S. Department of Labor's Occupational Safety and Health Administration (OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200, 2024), May 20, 2024, effective July 19, 2024.

**Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text**

**End of SDS**