# **SAFETY DATA SHEET**



DS19

### **Section 1. Identification**

1.1 Product identifier

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagents and Standards for Analytical Chemistry Laboratory Use

bottles 1 x 1L

1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer**: Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available

for employees and other users of this product.

#### Classification of the substance or mixture

Not classified.

#### 2.2 GHS label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

2.3 Other hazards

**Hazards not otherwise** : None known.

classified

Date of issue: 05/02/2025 1/11

**D**\$19

### Section 3. Composition/information on ingredients

Substance/mixture : Substance

Ingredient name	%	Identifiers
vistillates (petroleum), solvent-dewaxed heavy paraffinic	100	CAS: 64742-65-0

Contains: DMSO (< 3%)

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid measures

#### 4.1 Description of necessary first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

**Skin contact**: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

**Date of issue**: 05/02/2025 **2/11** 

## Section 5. Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

 Decomposition products may include the following materials: carbon dioxide carbon monoxide

#### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

# **6.2 Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling

Protective measures
Advice on general
occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Date of issue: 05/02/2025 3/11

### Section 7. Handling and storage

# 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations
Industrial sector specific

: Industrial applications, Professional applications.

Industrial sector specific solutions

: Not available.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Distillates (petroleum), solvent-dewaxed heavy paraffinic	NIOSH REL (United States, 10/2020) [OIL MIST MINERAL]  TWA 10 hours: 5 mg/m³. Form: Mist.  STEL 15 minutes: 10 mg/m³. Form: Mist.  OSHA PEL (United States, 5/2018) [Oil mist, mineral]  TWA 8 hours: 5 mg/m³.  ACGIH TLV (United States, 1/2024) [Mineral Oil, pure, highly and severely refined] A4.  TWA 8 hours: 5 mg/m³. Form: Inhalable fraction.

#### **Biological exposure indices**

No exposure indices known.

#### 8.2 Exposure controls

Appropriate engineering controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

#### **Skin protection**

**Date of issue**: 05/02/2025 **4/11** 

### Section 8. Exposure controls/personal protection

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

**Physical state** : Liquid. [Clear.] Color : Straw. / Yellow.

Odor : Mild.

: Not available. **Odor threshold** pН Not available. : Not available. **Melting point/freezing point Boiling point or initial** : 112°C (233.6°F)

boiling point and boiling range

: Closed cup: 213°C (415.4°F) [ASTM D 93] Flash point

**Evaporation rate** Not available. : Not applicable. **Flammability** Lower and upper explosion : Not available.

limit/flammability limit

Vapor pressure : <0.000013 kPa (<0.0001 mm Hg)

Relative vapor density : >1 [Air = 1] 0.87 @ 25°C

Relative density

Solubility(ies) Media Result water Insoluble

No. Miscible with water

Partition coefficient: n-

octanol/water

: Not applicable.

: Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** 

: Dynamic (room temperature): Not available. **Viscosity** 

Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): 55 mm<sup>2</sup>/s (55 cSt)

**Particle characteristics** 

Median particle size : Not applicable.

Date of issue: 05/02/2025 5/11

### Section 10. Stability and reactivity

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

**10.5 Incompatible materials** : May react or be incompatible with oxidizing materials.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

### **Section 11. Toxicological information**

#### 11.1 Information on toxicological effects

**Acute toxicity** 

Product/ingredient name Result

Distillates (petroleum), solvent-dewaxed

heavy paraffinic

Rabbit - Dermal - LD50 >5000 mg/kg

Rat - Oral - LD50 >5000 mg/kg
Rat - Inhalation - LC50 Dusts and mists >5.53 mg/l [4 hours]

**Conclusion/Summary** 

[Product]

: Not available.

Skin corrosion/irritation

**Conclusion/Summary**: Not available.

[Product]

Ingredient name Conclusion/Summary

Distillates (petroleum), solvent-dewaxed

heavy paraffinic

Non-irritant to skin.

Serious eye damage/eye irritation

Conclusion/Summary : Not available.

[Product]

Ingredient name Conclusion/Summary

Distillates (petroleum), solvent-dewaxed

heavy paraffinic

Non-irritating to the eyes.

Respiratory corrosion/irritation

**Conclusion/Summary**: Not available.

[Product]

Respiratory or skin sensitization

Product/ingredient name Result

☑stillates (petroleum), solvent-dewaxed Guinea pig - Respiratory Result: Not sensitizing

heavy paraffinic

Skin

Date of issue: 05/02/2025 6/11

### **Section 11. Toxicological information**

**Conclusion/Summary** 

[Product] Respiratory : Not available.

**Conclusion/Summary** 

: Not available.

[Product]

Germ cell mutagenicity

**Conclusion/Summary** 

: Not available.

[Product]

Ingredient name Distillates (petroleum), solvent-dewaxed

No mutagenic effect.

**Conclusion/Summary** 

heavy paraffinic

**Carcinogenicity** 

Not available.

**Conclusion/Summary** 

: Not available.

[Product]

**Reproductive toxicity** 

**Conclusion/Summary** 

: Not available.

[Product]

Ingredient name

Conclusion/Summary

Distillates (petroleum), solvent-dewaxed

No known significant effects or critical hazards.

heavy paraffinic

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Product/ingredient name Result

Distillates (petroleum), solvent-dewaxed

ASPIRATION HAZARD - Category 1

heavy paraffinic

Information on the likely

routes of exposure

: Not available.

#### Potential acute health effects

: No known significant effects or critical hazards. Eye contact Inhalation : No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data. Inhalation : No specific data. : No specific data. Skin contact

Date of issue: 05/02/2025 7/11

### **Section 11. Toxicological information**

**Ingestion** : No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

)

: Not available.

Potential delayed effects

: Not available.

Long term exposure

**Potential immediate** 

: Not available.

effects

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

**Conclusion/Summary** 

[Product]

: Not available.

General

Carcinogenicity

Mutagenicity

No known significant effects or critical hazards.No known significant effects or critical hazards.No known significant effects or critical hazards.

: No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

**Acute toxicity estimates** 

Reproductive toxicity

N/A

### Section 12. Ecological information

#### **12.1 Toxicity**

Product/ingredient name

Result

Distillates (petroleum), solvent-dewaxed

axed Acute - LC50

heavy paraffinic

Acute - EC50 >100 mg/l [48 hours]

Acute - EC50

>100 mg/l [72 hours]

>100 mg/l [96 hours]

**Conclusion/Summary** 

[Product]

: Not available.

#### 12.2 Persistence and degradability

Conclusion/Summary : N

[Product]

: Not available.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Distillates (petroleum), solvent-dewaxed heavy paraffinic	2 to 6	-	High

#### **12.4 Mobility in soil**

Soil/Water partition : Not available.

coefficient

Date of issue: 05/02/2025 8/11

### **Section 12. Ecological information**

**12.5 Other adverse effects**: No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

### **Section 14. Transport information**

DOT / TDG / Mexico / IMDG / : Not regulated.

**IATA** 

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according: Not available.

to IMO instruments

### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** 

TSCA 12(b) - Chemical export notification

Not applicable.

Clean Air Act Section 112

: Not listed

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602

: Not listed

Class I Substances

**Clean Air Act Section 602** 

: Not listed

Class II Substances

**DEA List I Chemicals** : Not listed

(Precursor Chemicals)

Date of issue: 05/02/2025 9/11

### **Section 15. Regulatory information**

DEA List II Chemicals

(Essential Chemicals)

: Not listed

#### **SARA 302/304**

#### **Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification : Not applicable.

Composition/information on ingredients

Name	%	Classification
Distillates (petroleum), solvent- dewaxed heavy paraffinic	100	ASPIRATION HAZARD - Category 1 HNOC - Static-accumulating flammable liquid

#### State regulations

Massachusetts : The following components are listed: OIL MIST, MINERAL

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

#### **International regulations**

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

#### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): All components are listed or exempted.

New Zealand: All components are listed or exempted.Philippines: All components are listed or exempted.Republic of Korea: All components are listed or exempted.Taiwan: All components are listed or exempted.Thailand: All components are listed or exempted.

Turkey : All components are listed or exempted.

United States : Not determined.

**Date of issue:** 05/02/2025 **10/11** 

### **Section 15. Regulatory information**

**Viet Nam** : All components are listed or exempted.

#### Section 16. Other information

#### Procedure used to derive the classification

Classification	Justification
Not classified.	

#### **History**

Date of issue/Date of

: 05/02/2025

revision

**Date of previous issue** : 06/23/2022

Version

Key to abbreviations

: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor DOT = Department of Transportation

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SGG = Segregation Group

TDG = Transportation of Dangerous Goods

**UN = United Nations** 

▼ Indicates information that has changed from previously issued version.

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue: 05/02/2025 11/11